




<b>a. Numero DJC:</b> DJC-ELSP-EPRPD-0002-R0001	Fecha: 01/10/2025
--	-------------------

<b>b. información del fabricante o importador</b>	
Razón Social	ABB S.A.U.
C.U.I.T	30-50394816-4
Nombre comercial o marca registrada	ABB
Domicilio Legal	Av. Eduardo Madero 1020 Piso 5 Of B, (C1106ACX), Ciudad Autónoma de Buenos Aires, Argentina
Domicilio de la planta de producción o del depósito del importador	URBANO: Ascasubi 3380, (C1286AAF), Ciudad Autónoma de Buenos Aires, Argentina
Teléfono	+54-911-6026-5402
Correo electrónico	Rafael.caputo@ar.abb.com

<b>c. información del producto</b>	
Código de identificación único del producto	Relés de interfaz CR/RB 1-4 contactos hasta 16 A
Fabricante (incluyendo domicilio de la planta de producción);	ABB Stotz-Kontakt GmbH Eppelheimer Str 82 Heidelberg, 69123 Germany ABB STOTZ-KONTAKT GmbH Hauptstrasse 14-16 78132 – Hornberg Germany
Identificación del producto (marca, modelo, características técnicas): Ver anexo 1	

<b>d. Normas y evaluación de la conformidad</b>	
Reglamento/s por el que se encuentra alcanzado;	Resolución 16/2025 RESOL-2025-16-APN-SIYC#MEC
Norma/s Técnica	IEC 60947-1; IEC 60947-5-1; IEC 61810-1:2008
Referencia al documento de evaluación de conformidad emitido por un OEC	<a href="#">CERT-ELSP-EPRPD-0002-R0001</a>

<b>e. Otros datos</b>	
Enlace a la copia de la declaración de conformidad en Internet.	<a href="https://new.abb.com/south-america/argentina/certificaciones-y-declaraciones-juradas">https://new.abb.com/south-america/argentina/certificaciones-y-declaraciones-juradas</a>
Firma	 Walter Carril Apoderado Administrativo



La presente declaración jurada de conformidad se emite, en todo de acuerdo con el/los Reglamentos Técnicos aludidos precedentemente, asumiendo la responsabilidad directa por los datos declarados, así como por la conformidad del producto

Revision 00 – 01/10/2025

Se emite



## ANEXO I

MARCA	CÓDIGO	MODELO	DESCRIPCIÓN
ABB	1SVR405611R0300	CR-M012AC2L	CR-M012AC2L Pluggable interface relay 2c/o, A1-A2=12VAC, 250V/12A, LED
ABB	1SVR405612R0300	CR-M012AC3L	CR-M012AC3L Pluggable interface relay 3c/o, A1-A2=12VAC, 250V/10A, LED
ABB	1SVR405612R0500	CR-M012AC3LD	CR-M012AC3LD Pluggable interface relay 3c/o, A1-A2=12VAC, 250V/10A, LED
ABB	1SVR405613R0300	CR-M012AC4L	CR-M012AC4L Pluggable interface relay 4c/o, A1-A2=12VAC, 250V/6A, LED
ABB	1SVR405611R4000	CR-M012DC2	CR-M012DC2 Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/12A
ABB	1SVR405611R4100	CR-M012DC2L	CR-M012DC2L Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/12A, LED
ABB	1SVR405611R4400	CR-M012DC2LD	CR-M012DC2LD Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/12A, LED
ABB	1SVR405612R4000	CR-M012DC3	CR-M012DC3 Pluggable interface relay 3c/o, A1-A2=12VDC, 250V/10A
ABB	1SVR405612R4100	CR-M012DC3L	CR-M012DC3L Pluggable interface relay 3c/o, A1-A2=12VDC, 250V/10A, LED
ABB	1SVR405612R4400	CR-M012DC3LD	CR-M012DC3LD Pluggable interface relay 3c/o, A1-A2=12VDC, 250V/10A, LED
ABB	1SVR405613R4000	CR-M012DC4	CR-M012DC4 Pluggable interface relay 4c/o, A1-A2=12VDC, 250V/6A
ABB	1SVR405613R4100	CR-M012DC4L	CR-M012DC4L Pluggable interface relay 4c/o, A1-A2=12VDC, 250V/6A, LED
ABB	1SVR405613R4400	CR-M012DC4LD	CR-M012DC4LD Pluggable interface relay 4c/o, A1-A2=12VDC, 250V/6A, LED
ABB	1SVR405618R4400	CR-M012DC4LDG	CR-M012DC4LDG Pluggable interface relay 4c/o, A1-A2=12VDC, gold contacts, diode, LED
ABB	1SVR405618R4100	CR-M012DC4LG	CR-M012DC4LG Pluggable interface relay 4c/o, A1-A2=12VDC, gold-plated contacts
ABB	1SVR405611R0000	CR-M024AC2	CR-M024AC2 Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/12A
ABB	1SVR405611R0100	CR-M024AC2L	CR-M024AC2L Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/12A, LED
ABB	1SVR405612R0000	CR-M024AC3	CR-M024AC3 Pluggable interface relay 3c/o, A1-A2=24VAC, 250V/10A
ABB	1SVR405612R0100	CR-M024AC3L	CR-M024AC3L Pluggable interface relay 3c/o, A1-A2=24VAC, 250V/10A, LED
ABB	1SVR405613R0000	CR-M024AC4	CR-M024AC4 Pluggable interface relay 4c/o, A1-A2=24VAC, 250V/6A
ABB	1SVR405618R0000	CR-M024AC4G	CR-M024AC4G Pluggable interface relay 4c/o, A1-A2=24VAC, 250V/6A gold contacts
ABB	1SVR405613R0100	CR-M024AC4L	CR-M024AC4L Pluggable interface relay 4c/o, A1-A2=24VAC, 250V/6A, LED
ABB	1SVR405618R0100	CR-M024AC4LG	CR-M024AC4LG Pluggable interface relay 4c/o, A1-A2=24VAC, gold-plated contacts
ABB	1SVR405611R1000	CR-M024DC2	CR-M024DC2 Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/12A
ABB	1SVR405611R1100	CR-M024DC2L	CR-M024DC2L Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/12A, LED
ABB	1SVR405611R1400	CR-M024DC2LD	CR-M024DC2LD Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/12A, LED
ABB	1SVR405612R1000	CR-M024DC3	CR-M024DC3 Pluggable interface relay 3c/o, A1-A2=24VDC, 250V/10A
ABB	1SVR405612R1100	CR-M024DC3L	CR-M024DC3L Pluggable interface relay 3c/o, A1-A2=24VDC, 250V/10A, LED
ABB	1SVR405612R1400	CR-M024DC3LD	CR-M024DC3LD Pluggable interface relay 3c/o, A1-A2=24VDC, 250V/10A, LED
ABB	1SVR405613R1000	CR-M024DC4	CR-M024DC4 Pluggable interface relay 4c/o, A1-A2=24VDC, 250V/6A
ABB	1SVR405618R1000	CR-M024DC4G	CR-M024DC4G Pluggable interface relay 4c/o, A1-A2=24VDC, 250V/6A gold contacts
ABB	1SVR405613R1100	CR-M024DC4L	CR-M024DC4L Pluggable interface relay 4c/o, A1-A2=24VDC, 250V/6A, LED
ABB	1SVR405611R5100	CR-M048AC2	CR-M048AC2L Pluggable interface relay 2c/o, A1-A2=48VAC, 250V/12A, LED
ABB	1SVR405612R5000	CR-M048AC3	CR-M048AC3 Pluggable interface relay 3c/o, A1-A2=48VAC, 250V/10A
ABB	1SVR405612R5100	CR-M048AC3L	CR-M048AC3L Pluggable interface relay 3c/o, A1-A2=48VAC, 250V/10A, LED
ABB	1SVR405613R5000	CR-M048AC4	CR-M048AC4 Pluggable interface relay 4c/o, A1-A2=48VAC, 250V/6A
ABB	1SVR405613R5100	CR-M048AC4L	CR-M048AC4L Pluggable interface relay 4c/o, A1-A2=48VAC, 250V/6A, LED
ABB	1SVR405618R5100	CR-M048AC4LG	CR-M048AC4LG Pluggable interface relay 4c/o, A1-A2=48VAC, gold-plated contacts
ABB	1SVR405611R6000	CR-M048DC2	CR-M048DC2 Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/12A
ABB	1SVR405611R6100	CR-M048DC2L	CR-M048DC2L Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/12A, LED
ABB	1SVR405611R6400	CR-M048DC2LD	CR-M048DC2LD Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/12A, LED
ABB	1SVR405612R6000	CR-M048DC3	CR-M048DC3 Pluggable interface relay 3c/o, A1-A2=48VDC, 250V/10A
ABB	1SVR405612R6100	CR-M048DC3L	CR-M048DC3L Pluggable interface relay 3c/o, A1-A2=48VDC, 250V/10A, LED
ABB	1SVR405612R6400	CR-M048DC3LD	CR-M048DC3LD Pluggable interface relay 3c/o, A1-A2=48VDC, 250V/10A, LED
ABB	1SVR405613R6000	CR-M048DC4	CR-M048DC4 Pluggable interface relay 4c/o, A1-A2=48VDC, 250V/6A
ABB	1SVR405613R6100	CR-M048DC4L	CR-M048DC4L Pluggable interface relay 4c/o, A1-A2=48VDC, 250V/6A, LED
ABB	1SVR405613R6400	CR-M048DC4LD	CR-M048DC4LD Pluggable interface relay 4c/o, A1-A2=48VDC, 250V/6A, LED
ABB	1SVR405618R6100	CR-M048DC4LG	CR-M048DC4LG Pluggable interface relay 4c/o, A1-A2=48VDC, gold-plated contacts
ABB	1SVR405612R5200	CR-M060AC3	CR-M060AC3 Pluggable interface relay 3c/o, A1-A2=60VAC, 250V/10A
ABB	1SVR405611R4200	CR-M060DC2	CR-M060DC2 Pluggable interface relay 2c/o, A1-A2=60VDC, 250V/12A
ABB	1SVR405611R4300	CR-M060DC2L	CR-M060DC2L Pluggable interface relay 2c/o, A1-A2=60VDC, 250V/12A, LED
ABB	1SVR405612R4200	CR-M060DC3	CR-M060DC3 Pluggable interface relay 3c/o, A1-A2=60VDC, 250V/10A
ABB	1SVR405612R4300	CR-M060DC3L	CR-M060DC3L Pluggable interface relay 3c/o, A1-A2=60VDC, 250V/10A, LED
ABB	1SVR405613R4200	CR-M060DC4	CR-M060DC4 Pluggable interface relay 4c/o, A1-A2=60VDC, 250V/6A
ABB	1SVR405613R4300	CR-M060DC4L	CR-M060DC4L Pluggable interface relay 4c/o, A1-A2=60VDC, 250V/6A, LED
ABB	1SVR405618R4300	CR-M060DC4LG	CR-M060DC4LG Pluggable interface relay 4c/o, A1-A2=60VDC, gold-plated contacts
ABB	1SVR405611R7000	CR-M110AC2	CR-M110AC2 Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/12A
ABB	1SVR405611R7100	CR-M110AC2L	CR-M110AC2L Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/12A, LED
ABB	1SVR405612R7000	CR-M110AC3	CR-M110AC3 Pluggable interface relay 3c/o, A1-A2=110VAC, 250V/10A
ABB	1SVR405612R7100	CR-M110AC3L	CR-M110AC3L Pluggable interface relay 3c/o, A1-A2=110VAC, 250V/10A, LED
ABB	1SVR405613R7000	CR-M110AC4	CR-M110AC4 Pluggable interface relay 4c/o, A1-A2=110VAC, 250V/6A
ABB	1SVR405618R7000	CR-M110AC4G	CR-M110AC4G Pluggable interface relay 4c/o, A1-A2=110VAC, 250V/6A gold contacts
ABB	1SVR405613R7100	CR-M110AC4L	CR-M110AC4L Pluggable interface relay 4c/o, A1-A2=110VAC, 250V/6A, LED
ABB	1SVR405618R7100	CR-M110AC4LG	CR-M110AC4LG Pluggable interface relay 4c/o, A1-A2=110VAC, gold plated contacts
ABB	1SVR405611R8000	CR-M110DC2	CR-M110DC2 Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/12A
ABB	1SVR405611R8100	CR-M110DC2L	CR-M110DC2L Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/12A, LED
ABB	1SVR405611R8400	CR-M110DC2LD	CR-M110DC2LD Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/12A, LED



ABB	1SVR405612R8000	CR-M110DC3	CR-M110DC3 Pluggable interface relay 3c/o, A1-A2=110VDC, 250V/10A
ABB	1SVR405612R8100	CR-M110DC3L	CR-M110DC3L Pluggable interface relay 3c/o, A1-A2=110VDC, 250V/10A, LED
ABB	1SVR405612R8400	CR-M110DC3LD	CR-M110DC3LD Pluggable interface relay 3c/o, A1-A2=110VDC, 250V/10A, LED
ABB	1SVR405613R8000	CR-M110DC4	CR-M110DC4 Pluggable interface relay 4c/o, A1-A2=110VDC, 250V/6A
ABB	1SVR405613R8100	CR-M110DC4L	CR-M110DC4L Pluggable interface relay 4c/o, A1-A2=110VDC, 250V/6A, LED
ABB	1SVR405613R8400	CR-M110DC4LD	CR-M110DC4LD Pluggable interface relay 4c/o, A1-A2=110VDC, 250V/6A, LED
ABB	1SVR405618R8100	CR-M110DC4LG	CR-M110DC4LG Pluggable interface relay 4c/o, A1-A2=110VDC, gold plated contacts
ABB	1SVR405611R2000	CR-M120AC2	CR-M120AC2 Pluggable interface relay 2c/o, A1-A2=120VAC, 250V/12A
ABB	1SVR405611R2100	CR-M120AC2L	CR-M120AC2L Pluggable interface relay 2c/o, A1-A2=120VAC, 250V/12A, LED
ABB	1SVR405612R2000	CR-M120AC3	CR-M120AC3 Pluggable interface relay 3c/o, A1-A2=120VAC, 250V/10A
ABB	1SVR405612R2100	CR-M120AC3L	CR-M120AC3L Pluggable interface relay 3c/o, A1-A2=120VAC, 250V/10A, LED
ABB	1SVR405613R2000	CR-M120AC4	CR-M120AC4 Pluggable interface relay 4c/o, A1-A2=120VAC, 250V/6A
ABB	1SVR405613R2100	CR-M120AC4L	CR-M120AC4L Pluggable interface relay 4c/o, A1-A2=120VAC, 250V/6A, LED
ABB	1SVR405618R2100	CR-M120AC4LG	CR-M120AC4LG Pluggable interface relay 4c/o, A1-A2=120VAC, gold plated contacts
ABB	1SVR405611R8200	CR-M125DC2	CR-M125DC2 Pluggable interface relay 2c/o, A1-A2=125VDC, 250V/12A
ABB	1SVR405611R8300	CR-M125DC2L	CR-M125DC2L Pluggable interface relay 2c/o, A1-A2=125VDC, 250V/12A, LED
ABB	1SVR405611R8500	CR-M125DC2LD	CR-M125DC2LD Pluggable interface relay 2c/o, A1-A2=125VDC, 250V/12A, LED
ABB	1SVR405612R8200	CR-M125DC3	CR-M125DC3 Pluggable interface relay 3c/o, A1-A2=125VDC, 250V/10A
ABB	1SVR405612R8300	CR-M125DC3L	CR-M125DC3L Pluggable interface relay 3c/o, A1-A2=125VDC, 250V/10A, LED
ABB	1SVR405612R8500	CR-M125DC3LD	CR-M125DC3LD Pluggable interface relay 3c/o, A1-A2=125VDC, 250V/10A, LED
ABB	1SVR405613R8200	CR-M125DC4	CR-M125DC4 Pluggable interface relay 4c/o, A1-A2=125VDC, 250V/6A
ABB	1SVR405613R8300	CR-M125DC4L	CR-M125DC4L Pluggable interface relay 4c/o, A1-A2=125VDC, 250V/6A, LED
ABB	1SVR405613R8500	CR-M125DC4LD	CR-M125DC4LD Pluggable interface relay 4c/o, A1-A2=125VDC, 250V/6A, LED
ABB	1SVR405618R8300	CR-M125DC4LG	CR-M125DC4LG Pluggable interface relay 4c/o, A1-A2=125VDC, gold plated contacts
ABB	1SVR405611R9000	CR-M220DC2	CR-M220DC2 Pluggable interface relay 2c/o, A1-A2=220VDC, 250V/12A
ABB	1SVR405611R9100	CR-M220DC2L	CR-M220DC2L Pluggable interface relay 2c/o, A1-A2=220VDC, 250V/12A, LED
ABB	1SVR405611R9400	CR-M220DC2LD	CR-M220DC2LD Pluggable interface relay 2c/o, A1-A2=220VDC, 250V/12A, LED
ABB	1SVR405612R9000	CR-M220DC3	CR-M220DC3 Pluggable interface relay 3c/o, A1-A2=220VDC, 250V/10A
ABB	1SVR405612R9100	CR-M220DC3L	CR-M220DC3L Pluggable interface relay 3c/o, A1-A2=220VDC, 250V/10A, LED
ABB	1SVR405612R9400	CR-M220DC3LD	CR-M220DC3LD Pluggable interface relay 3c/o, A1-A2=220VDC, 250V/10A, LED
ABB	1SVR405613R9000	CR-M220DC4	CR-M220DC4 Pluggable interface relay 4c/o, A1-A2=220VDC, 250V/6A
ABB	1SVR405613R9100	CR-M220DC4L	CR-M220DC4L Pluggable interface relay 4c/o, A1-A2=220VDC, 250V/6A, LED
ABB	1SVR405613R9400	CR-M220DC4LD	CR-M220DC4LD Pluggable interface relay 4c/o, A1-A2=220VDC, 250V/6A, LED
ABB	1SVR405618R9100	CR-M220DC4LG	CR-M220DC4LG Pluggable interface relay 4c/o, A1-A2=220VDC, gold plated contacts
ABB	1SVR405611R3000	CR-M230AC2	CR-M230AC2 Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/12A
ABB	1SVR405611R3100	CR-M230AC2L	CR-M230AC2L Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/12A, LED
ABB	1SVR405612R3000	CR-M230AC3	CR-M230AC3 Pluggable interface relay 3c/o, A1-A2=230VAC, 250V/10A
ABB	1SVR405612R3100	CR-M230AC3L	CR-M230AC3L Pluggable interface relay 3c/o, A1-A2=230VAC, 250V/10A, LED
ABB	1SVR405613R3000	CR-M230AC4	CR-M230AC4 Pluggable interface relay 4c/o, A1-A2=230VAC, 250V/6A
ABB	1SVR405613R3000	CR-M230AC4G	CR-M230AC4G Pluggable interface relay 4c/o, A1-A2=230VAC, 250V/6A gold contacts
ABB	1SVR405613R3100	CR-M230AC4L	CR-M230AC4L Pluggable interface relay 4c/o, A1-A2=230VAC, 250V/6A, LED
ABB	1SVR405618R3100	CR-M230AC4LG	CR-M230AC4LG Pluggable interface relay 4c/o, A1-A2=230VAC, gold plated contacts
ABB	1SVR405611R4000	CR-MX012DC2	CR-MX012DC2 Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/7A
ABB	1SVR405611R4100	CR-MX012DC2L	CR-MX012DC2L Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/7A, LED
ABB	1SVR405614R100	CR-MX012DC2LT	CR-MX012DC2LT Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/7A, LED, test button
ABB	1SVR405614R4000	CR-MX012DC2T	CR-MX012DC2T Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/7A, test button
ABB	1SVR405613R4000	CR-MX012DC4	CR-MX012DC4 Pluggable interface relay 4c/o, A1-A2=12VDC, 250V/5A
ABB	1SVR405613R4100	CR-MX012DC4L	CR-MX012DC4L Pluggable interface relay 4c/o, A1-A2=12VDC, 250V/5A, LED
ABB	1SVR405613R4100	CR-MX012DC4LT	CR-MX012DC4LT Pluggable interface relay 4c/o, A1-A2=12VDC, 250V/5A, LED, test button
ABB	1SVR405613R4000	CR-MX012DC4T	CR-MX012DC4T Pluggable interface relay 4c/o, A1-A2=12VDC, 250V/5A, test button
ABB	1SVR405613R0000	CR-MX024AC2	CR-MX024AC2 Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/7A
ABB	1SVR405613R0100	CR-MX024AC2L	CR-MX024AC2L Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/7A, LED
ABB	1SVR405614R0100	CR-MX024AC2LT	CR-MX024AC2LT Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/7A, LED, test button
ABB	1SVR405614R0000	CR-MX024AC2T	CR-MX024AC2T Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/7A, test button
ABB	1SVR405613R0000	CR-MX024AC4	CR-MX024AC4 Pluggable interface relay 4c/o, A1-A2=24VAC, 250V/5A
ABB	1SVR405613R0100	CR-MX024AC4L	CR-MX024AC4L Pluggable interface relay 4c/o, A1-A2=24VAC, 250V/5A, LED
ABB	1SVR405613R0100	CR-MX024AC4LT	CR-MX024AC4LT Pluggable interface relay 4c/o, A1-A2=24VAC, 250V/5A, LED, test button
ABB	1SVR405613R0000	CR-MX024AC4T	CR-MX024AC4T Pluggable interface relay 4c/o, A1-A2=24VAC, 250V/5A, test button
ABB	1SVR405613R1000	CR-MX024DC2	CR-MX024DC2 Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/7A
ABB	1SVR405613R1100	CR-MX024DC2L	CR-MX024DC2L Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/7A, LED
ABB	1SVR405614R1100	CR-MX024DC2LT	CR-MX024DC2LT Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/7A, LED, test button
ABB	1SVR405614R1000	CR-MX024DC2T	CR-MX024DC2T Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/7A, test button
ABB	1SVR405613R1000	CR-MX024DC4	CR-MX024DC4 Pluggable interface relay 4c/o, A1-A2=24VDC, 250V/5A
ABB	1SVR405613R1100	CR-MX024DC4L	CR-MX024DC4L Pluggable interface relay 4c/o, A1-A2=24VDC, 250V/5A, LED
ABB	1SVR405613R1100	CR-MX024DC4LT	CR-MX024DC4LT Pluggable interface relay 4c/o, A1-A2=24VDC, 250V/5A, LED, test button
ABB	1SVR405613R1000	CR-MX024DC4T	CR-MX024DC4T Pluggable interface relay 4c/o, A1-A2=24VDC, 250V/5A, test button
ABB	1SVR405613R6000	CR-MX048DC2	CR-MX048DC2 Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/7A
ABB	1SVR405613R6100	CR-MX048DC2L	CR-MX048DC2L Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/7A, LED
ABB	1SVR405614R6100	CR-MX048DC2LT	CR-MX048DC2LT Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/7A, LED, test button
ABB	1SVR405614R6000	CR-MX048DC2T	CR-MX048DC2T Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/7A, test button
ABB	1SVR405613R6000	CR-MX048DC4	CR-MX048DC4 Pluggable interface relay 4c/o, A1-A2=48VDC, 250V/5A
ABB	1SVR405613R6100	CR-MX048DC4L	CR-MX048DC4L Pluggable interface relay 4c/o, A1-A2=48VDC, 250V/5A, LED
ABB	1SVR405613R6100	CR-MX048DC4LT	CR-MX048DC4LT Pluggable interface relay 4c/o, A1-A2=48VDC, 250V/5A, LED, test button
ABB	1SVR405613R6000	CR-MX048DC4T	CR-MX048DC4T Pluggable interface relay 4c/o, A1-A2=48VDC, 250V/5A, test button
ABB	1SVR405613R7000	CR-MX110AC2	CR-MX110AC2 Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/7A
ABB	1SVR405613R7100	CR-MX110AC2L	CR-MX110AC2L Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/7A, LED
ABB	1SVR405614R7100	CR-MX110AC2LT	CR-MX110AC2LT Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/7A, LED, test button



ABB	1SVR405641R7000	CR-MX110AC2T	CR-MX110AC2T Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/7A, test button
ABB	1SVR405633R7000	CR-MX110AC4	CR-MX110AC4 Pluggable interface relay 4c/o, A1-A2=110VAC, 250V/5A
ABB	1SVR405633R7100	CR-MX110AC4L	CR-MX110AC4L Pluggable interface relay 4c/o, A1-A2=110VAC, 250V/5A, LED
ABB	1SVR405643R7100	CR-MX110AC4LT	CR-MX110AC4LT Pluggable interface relay 4c/o, A1-A2=110VAC, 250V/5A, LED, test button
ABB	1SVR405643R7000	CR-MX110AC4T	CR-MX110AC4T Pluggable interface relay 4c/o, A1-A2=110VAC, 250V/5A, test button
ABB	1SVR405631R8000	CR-MX110DC2	CR-MX110DC2 Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/7A
ABB	1SVR405633R8100	CR-MX110DC2L	CR-MX110DC2L Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/7A, LED
ABB	1SVR405641R8100	CR-MX110DC2LT	CR-MX110DC2LT Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/7A, LED, test button
ABB	1SVR405641R8000	CR-MX110DC2T	CR-MX110DC2T Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/7A, test button
ABB	1SVR405633R8000	CR-MX110DC4	CR-MX110DC4 Pluggable interface relay 4c/o, A1-A2=110VDC, 250V/5A
ABB	1SVR405633R8100	CR-MX110DC4L	CR-MX110DC4L Pluggable interface relay 4c/o, A1-A2=110VDC, 250V/5A, LED
ABB	1SVR405643R8100	CR-MX110DC4LT	CR-MX110DC4LT Pluggable interface relay 4c/o, A1-A2=110VDC, 250V/5A, LED, test button
ABB	1SVR405643R8000	CR-MX110DC4T	CR-MX110DC4T Pluggable interface relay 4c/o, A1-A2=110VDC, 250V/5A, test button
ABB	1SVR405631R9000	CR-MX220DC2	CR-MX220DC2 Pluggable interface relay 2c/o, A1-A2=220VDC, 250V/7A
ABB	1SVR405633R9100	CR-MX220DC2L	CR-MX220DC2L Pluggable interface relay 2c/o, A1-A2=220VDC, 250V/7A, LED
ABB	1SVR405641R9100	CR-MX220DC2LT	CR-MX220DC2LT Pluggable interface relay 2c/o, A1-A2=220VDC, 250V/7A, LED, test button
ABB	1SVR405641R9000	CR-MX220DC2T	CR-MX220DC2T Pluggable interface relay 2c/o, A1-A2=220VDC, 250V/7A, test button
ABB	1SVR405633R9000	CR-MX220DC4	CR-MX220DC4 Pluggable interface relay 4c/o, A1-A2=220VDC, 250V/5A
ABB	1SVR405633R9100	CR-MX220DC4L	CR-MX220DC4L Pluggable interface relay 4c/o, A1-A2=220VDC, 250V/5A, LED
ABB	1SVR405643R9100	CR-MX220DC4LT	CR-MX220DC4LT Pluggable interface relay 4c/o, A1-A2=220VDC, 250V/5A, LED, test button
ABB	1SVR405643R9000	CR-MX220DC4T	CR-MX220DC4T Pluggable interface relay 4c/o, A1-A2=220VDC, 250V/5A, test button
ABB	1SVR405631R3000	CR-MX230AC2	CR-MX230AC2 Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/7A
ABB	1SVR405631R3100	CR-MX230AC2L	CR-MX230AC2L Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/7A, LED
ABB	1SVR405641R3100	CR-MX230AC2LT	CR-MX230AC2LT Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/7A, LED, test button
ABB	1SVR405641R3000	CR-MX230AC2T	CR-MX230AC2T Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/7A, test button
ABB	1SVR405633R3000	CR-MX230AC4	CR-MX230AC4 Pluggable interface relay 4c/o, A1-A2=230VAC, 250V/5A
ABB	1SVR405633R3100	CR-MX230AC4L	CR-MX230AC4L Pluggable interface relay 4c/o, A1-A2=230VAC, 250V/5A, LED
ABB	1SVR405643R3100	CR-MX230AC4LT	CR-MX230AC4LT Pluggable interface relay 4c/o, A1-A2=230VAC, 250V/5A, LED, test button
ABB	1SVR405643R3000	CR-MX230AC4T	CR-MX230AC4T Pluggable interface relay 4c/o, A1-A2=230VAC, 250V/5A, test button
ABB	1SVR405601R0200	CR-P012AC2	CR-P012AC2 Pluggable interface relay 2c/o, A1-A2=12VAC, 250V/8A
ABB	1SVR405603R4000	CR-P012DC1	CR-P012DC1 Pluggable interface relay 1c/o, A1-A2=12VDC, 250V/16A
ABB	1SVR405601R4000	CR-P012DC2	CR-P012DC2 Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/8A
ABB	1SVR405600R0000	CR-P024AC1	CR-P024AC1 Pluggable interface relay 1c/o, A1-A2=24VAC, 250V/16A
ABB	1SVR405601R0000	CR-P024AC2	CR-P024AC2 Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/8A
ABB	1SVR405600R0000	CR-P024AC2G	CR-P024AC2G Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/8A, gold contacts
ABB	1SVR405600R1000	CR-P024DC1	CR-P024DC1 Pluggable interface relay 1c/o, A1-A2=24VDC, 250V/16A
ABB	1SVR405601R1000	CR-P024DC2	CR-P024DC2 Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/8A
ABB	1SVR405606R1000	CR-P024DC2G	CR-P024DC2G Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/8A, gold contacts
ABB	1SVR405610R4060	CR-P024MOS1	CR-P024MOS1 Interface Opto Input= 24 V DC, Output= 5 A/24 V DC
ABB	1SVR405610R4070	CR-P024TRI1	CR-P024TRI1 Interface Opto Input= 24 V DC, Output= 3 A/24 V AC
ABB	1SVR405600R5000	CR-P048AC1	CR-P048AC1 Pluggable interface relay 1c/o, A1-A2=48VAC, 250V/16A
ABB	1SVR405601R5000	CR-P048AC2	CR-P048AC2 Pluggable interface relay 2c/o, A1-A2=48VAC, 250V/8A
ABB	1SVR405600R6000	CR-P048DC1	CR-P048DC1 Pluggable interface relay 1c/o, A1-A2=48VDC, 250V/16A
ABB	1SVR405601R6000	CR-P048DC2	CR-P048DC2 Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/8A
ABB	1SVR405600R7000	CR-P110AC1	CR-P110AC1 Pluggable interface relay 1c/o, A1-A2=110VAC, 250V/16A
ABB	1SVR405601R7000	CR-P110AC2	CR-P110AC2 Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/8A
ABB	1SVR405603R7000	CR-P110AC2G	CR-P110AC2G Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/8A gold contacts
ABB	1SVR405600R8000	CR-P110DC1	CR-P110DC1 Pluggable interface relay 1c/o, A1-A2=110VDC, 250V/16A
ABB	1SVR405601R8000	CR-P110DC2	CR-P110DC2 Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/8A
ABB	1SVR405600R2000	CR-P120AC1	CR-P120AC1 Pluggable interface relay 1c/o, A1-A2=120VAC, 250V/16A
ABB	1SVR405601R2000	CR-P120AC2	CR-P120AC2 Pluggable interface relay 2c/o, A1-A2=120VAC, 250V/8A
ABB	1SVR405600R3000	CR-P230AC1	CR-P230AC1 Pluggable interface relay 1c/o, A1-A2=230VAC, 250V/16A
ABB	1SVR405601R3000	CR-P230AC2	CR-P230AC2 Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/8A
ABB	1SVR405606R3000	CR-P230AC2G	CR-P230AC2G Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/8A gold contacts
ABB	1SVR405501R1010	CR-S005VDC1R	CR-S005VDC1R Pluggable interface relay 1c/o, A1-A2=5VDC, Output=6A/250VAC
ABB	1SVR405501R1020	CR-S005VDC1RG	CR-S005VDC1RG Pluggable interface relay 1c/o, A1-A2=5VDC, Output=6A/250VAC
ABB	1SVR405541R2110	CR-S012VADC1CRS	CR-S012VADC1CRS Interface relay cpl. 1c/o, A1-A2=12VAC/DC, Output=6A/250VAC
ABB	1SVR405541R2210	CR-S012VADC1CRZ	CR-S012VADC1CRZ Interface relay cpl. 1c/o, A1-A2=12VAC/DC, Output=6A/250VAC
ABB	1SVR405501R2010	CR-S012VDC1R	CR-S012VDC1R Pluggable interface relay 1c/o, A1-A2=12VDC, Output=6A/250VAC
ABB	1SVR405501R2020	CR-S012VDC1RG	CR-S012VDC1RG Pluggable interface relay 1c/o, A1-A2=12VDC, Output=6A/250VAC
ABB	1SVR405541R3120	CR-S024VADC1CRGS	CR-S024VADC1CRGS Interface relay cpl. 1c/o, A1-A2=24VAC/DC, Output=6A/250VAC
ABB	1SVR405541R3220	CR-S024VADC1CRGZ	CR-S024VADC1CRGZ Interface relay cpl. 1c/o, A1-A2=24VAC/DC, Output=6A/250VAC
ABB	1SVR405541R3110	CR-S024VADC1CRS	CR-S024VADC1CRS Interface relay cpl. 1c/o, A1-A2=24VAC/DC, Output=6A/250VAC
ABB	1SVR405541R3210	CR-S024VADC1CRZ	CR-S024VADC1CRZ Interface relay cpl. 1c/o, A1-A2=24VAC/DC, Output=6A/250VAC
ABB	1SVR405510R3060	CR-S024VDC1MOS	CR-S024VDC1MOS Pluggable optocoupler Input= 24 V DC, Output= 2 A/24 V DC
ABB	1SVR405501R3010	CR-S024VDC1R	CR-S024VDC1R Pluggable interface relay 1c/o, A1-A2=24VDC, Output=6A/250VAC
ABB	1SVR405501R3020	CR-S024VDC1RG	CR-S024VDC1RG Pluggable interface relay 1c/o, A1-A2=24VDC, Output=6A/250VAC
ABB	1SVR405510R3050	CR-S024VDC1TRA	CR-S024VDC1TRA Pluggable optocoupler Input= 24 V DC, Output= 100 mA/48 V DC
ABB	1SVR405510R3070	CR-S024VDC1TRI	CR-S024VDC1TRI Pluggable optocoupler Input= 24 V DC, Output= 2 A/240 V AC
ABB	1SVR405501R4010	CR-S048VDC1R	CR-S048VDC1R Pluggable interface relay 1c/o, A1-A2=48VDC, Output=6A/250VAC
ABB	1SVR405501R4020	CR-S048VDC1RG	CR-S048VDC1RG Pluggable interface relay 1c/o, A1-A2=48VDC, Output=6A/250VAC
ABB	1SVR405501R5010	CR-S060VDC1R	CR-S060VDC1R Pluggable interface relay 1c/o, A1-A2=60VDC, Output=6A/250VAC
ABB	1SVR405501R5020	CR-S060VDC1RG	CR-S060VDC1RG Pluggable interface relay 1c/o, A1-A2=60VDC, Output=6A/250VAC
ABB	1SVR405541R6120	CR-S110VADC1CRGS	CR-S110VADC1CRGS Interface relay cpl. 1c/o, A1-A2=110VAC/DC, Output=6A/250VAC
ABB	1SVR405541R6220	CR-S110VADC1CRGZ	CR-S110VADC1CRGZ Interface relay cpl. 1c/o, A1-A2=110VAC/DC, Output=6A/250VAC
ABB	1SVR405541R6110	CR-S110VADC1CRS	CR-S110VADC1CRS Interface relay cpl. 1c/o, A1-A2=110VAC/DC, Output=6A/250VAC
ABB	1SVR405541R6210	CR-S110VADC1CRZ	CR-S110VADC1CRZ Interface relay cpl. 1c/o, A1-A2=110VAC/DC, Output=6A/250VAC

Declaración jurada de conformidad seguridad eléctrica



ABB	1SVR405541R7120	CR-S230VADC1CRGS	CR-S230VADC1CRGS Interface relay cpl. 1c/o, A1-A2=230VAC/DC, Output=6A/250VAC
ABB	1SVR405541R7220	CR-S230VADC1CRGZ	CR-S230VADC1CRGZ Interface relay cpl. 1c/o, A1-A2=230VAC/DC, Output=6A/250VAC
ABB	1SVR405541R7110	CR-S230VADC1CRS	CR-S230VADC1CRS Interface relay cpl. 1c/o, A1-A2=230VAC/DC, Output=6A/250VAC
ABB	1SVR405541R7210	CR-S230VADC1CRZ	CR-S230VADC1CRZ Interface relay cpl. 1c/o, A1-A2=230VAC/DC, Output=6A/250VAC
ABB	1SVR405621R0300	CR-U012AC2L	CR-U012AC2L Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/12A, LED
ABB	1SVR405622R0300	CR-U012AC3L	CR-U012AC3L Pluggable interface relay 3c/o, A1-A2=110VDC, 250V/12A, LED
ABB	1SVR405621R4000	CR-U012DC2	CR-U012DC2 Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/10A
ABB	1SVR405621R4100	CR-U012DC2L	CR-U012DC2L Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/10A, LED
ABB	1SVR405621R4400	CR-U012DC2LD	CR-U012DC2LD Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/10A, LED
ABB	1SVR405622R4000	CR-U012DC3	CR-U012DC3 Pluggable interface relay 3c/o, A1-A2=12VDC, 250V/10A
ABB	1SVR405621R4000	CR-U012DC3L	CR-U012DC3L Pluggable interface relay 3c/o, A1-A2=12VDC, 250V/10A, LED
ABB	1SVR405622R4400	CR-U012DC3LD	CR-U012DC3LD Pluggable interface relay 3c/o, A1-A2=12VDC, 250V/10A, LED
ABB	1SVR405621R0000	CR-U024AC2	CR-U024AC2 Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/10A
ABB	1SVR405621R0100	CR-U024AC2L	CR-U024AC2L Pluggable interface relay 2c/o, A1-A2=24VAC, 250V/10A, LED
ABB	1SVR405621R0000	CR-U024AC3	CR-U024AC3 Pluggable interface relay 3c/o, A1-A2=24VAC, 250V/10A
ABB	1SVR405622R0100	CR-U024AC3L	CR-U024AC3L Pluggable interface relay 3c/o, A1-A2=24VAC, 250V/10A, LED
ABB	1SVR405621R1000	CR-U024DC2	CR-U024DC2 Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/10A
ABB	1SVR405621R1100	CR-U024DC2L	CR-U024DC2L Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/10A, LED
ABB	1SVR405621R1400	CR-U024DC2LD	CR-U024DC2LD Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/10A, LED
ABB	1SVR405622R1000	CR-U024DC3	CR-U024DC3 Pluggable interface relay 3c/o, A1-A2=24VDC, 250V/10A
ABB	1SVR405622R1100	CR-U024DC3L	CR-U024DC3L Pluggable interface relay 3c/o, A1-A2=24VDC, 250V/10A, LED
ABB	1SVR405623R1100	CR-U024DC3LD	CR-U024DC3LD Pluggable interface relay 3c/o, A1-A2=24 VDC, 250V/10A, LED, diode
ABB	1SVR405621R5000	CR-U048AC2	CR-U048AC2 Pluggable interface relay 2c/o, A1-A2=48VAC, 250V/10A
ABB	1SVR405621R5100	CR-U048AC2L	CR-U048AC2L Pluggable interface relay 2c/o, A1-A2=48VAC, 250V/10A, LED
ABB	1SVR405622R5000	CR-U048AC3	CR-U048AC3 Pluggable interface relay 3c/o, A1-A2=48VAC, 250V/10A
ABB	1SVR405622R5100	CR-U048AC3L	CR-U048AC3L Pluggable interface relay 3c/o, A1-A2=48VAC, 250V/10A, LED
ABB	1SVR405621R6000	CR-U048DC2	CR-U048DC2 Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/10A
ABB	1SVR405621R6100	CR-U048DC2L	CR-U048DC2L Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/10A, LED
ABB	1SVR405621R6400	CR-U048DC2LD	CR-U048DC2LD Pluggable interface relay 2c/o, A1-A2=48VDC, 250V/10A, LED
ABB	1SVR405622R6000	CR-U048DC3	CR-U048DC3 Pluggable interface relay 3c/o, A1-A2=48VDC, 250V/10A
ABB	1SVR405621R6100	CR-U048DC3L	CR-U048DC3L Pluggable interface relay 3c/o, A1-A2=48VDC, 250V/10A, LED
ABB	1SVR405622R6400	CR-U048DC3LD	CR-U048DC3LD Pluggable interface relay 3c/o, A1-A2=48VDC, 250V/10A, LED
ABB	1SVR405622R5200	CR-U060AC3	CR-U060AC3 Pluggable interface relay 3c/o, A1-A2=60VAC, 250V/10A
ABB	1SVR405621R7000	CR-U110AC2	CR-U110AC2 Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/10A
ABB	1SVR405621R7100	CR-U110AC2L	CR-U110AC2L Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/10A, LED
ABB	1SVR405622R7000	CR-U110AC3	CR-U110AC3 Pluggable interface relay 3c/o, A1-A2=110VAC, 250V/10A
ABB	1SVR405622R7100	CR-U110AC3L	CR-U110AC3L Pluggable interface relay 3c/o, A1-A2=110VAC, 250V/10A, LED
ABB	1SVR405621R8000	CR-U110DC2	CR-U110DC2 Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/10A
ABB	1SVR405621R8100	CR-U110DC2L	CR-U110DC2L Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/10A, LED
ABB	1SVR405621R8400	CR-U110DC2LD	CR-U110DC2LD Pluggable interface relay 2c/o, A1-A2=110VDC, 250V/10A, LED
ABB	1SVR405622R8000	CR-U110DC3	CR-U110DC3 Pluggable interface relay 3c/o, A1-A2=110VDC, 250V/10A
ABB	1SVR405622R8100	CR-U110DC3L	CR-U110DC3L Pluggable interface relay 3c/o, A1-A2=110VDC, 250V/10A, LED
ABB	1SVR405621R8400	CR-U110DC3LD	CR-U110DC3LD Pluggable interface relay 3c/o, A1-A2=110VDC, 250V/10A, LED
ABB	1SVR405621R2000	CR-U120AC2	CR-U120AC2 Pluggable interface relay 2c/o, A1-A2=120VAC, 250V/10A
ABB	1SVR405621R2100	CR-U120AC2L	CR-U120AC2L Pluggable interface relay 2c/o, A1-A2=120VAC, 250V/10A, LED
ABB	1SVR405622R2000	CR-U120AC3	CR-U120AC3 Pluggable interface relay 3c/o, A1-A2=120VAC, 250V/10A
ABB	1SVR405622R2100	CR-U120AC3L	CR-U120AC3L Pluggable interface relay 3c/o, A1-A2=120VAC, 250V/10A, LED
ABB	1SVR405622R8200	CR-U125DC3	CR-U125DC3 Pluggable interface relay 3c/o, A1-A2=125VDC, 250V/10A
ABB	1SVR405621R9000	CR-U220DC2	CR-U220DC2 Pluggable interface relay 2c/o, A1-A2=220VDC, 250V/10A
ABB	1SVR405621R9100	CR-U220DC2L	CR-U220DC2L Pluggable interface relay 2c/o, A1-A2=220VDC, 250V/10A, LED
ABB	1SVR405622R9000	CR-U220DC3	CR-U220DC3 Pluggable interface relay 3c/o, A1-A2=220VDC, 250V/10A
ABB	1SVR405622R9100	CR-U220DC3L	CR-U220DC3L Pluggable interface relay 3c/o, A1-A2=220VDC, 250V/10A, LED
ABB	1SVR405621R3000	CR-U230AC2	CR-U230AC2 Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/10A
ABB	1SVR405621R3100	CR-U230AC2L	CR-U230AC2L Pluggable interface relay 2c/o, A1-A2=230VAC, 250V/10A, LED
ABB	1SVR405622R3000	CR-U230AC3	CR-U230AC3 Pluggable interface relay 3c/o, A1-A2=230VAC, 250V/10A
ABB	1SVR405622R3100	CR-U230AC3L	CR-U230AC3L Pluggable interface relay 3c/o, A1-A2=230VAC, 250V/10A, LED
ABB	1SNA645022R2700	OBIC0100-115-230V	OBIC0100-115-230VUC Optocoupler R600 A1-A2=115-230VAC/DC,4.5-58VDC/1 mA-100 mA,Transistor
ABB	1SNA645021R2600	OBIC0100-24VDC	OBIC0100-24VDC Optocoupler R600 A1-A2=24VDC,4.5-58VDC/1 mA-100 mA,Transistor
ABB	1SNA645049R1200	OBIC0100-48-60VUC	OBIC0100-48-60VUC Optocoupler R600 A1-A2=48-60VAC/DC,4.5-58VDC/1 mA-100 mA,Transistor
ABB	1SNA645047R0000	OBIC0100-5-12VDC	OBIC0100-5-12VDC Optocoupler R600 A1-A2=5-12VDC,4.5-58VDC/1 mA-100 mA,Transistor
ABB	1SNA645062R0700	OBOA1000-115VUC	OBOA1000-115VUC Optocoupler R600 A1-A2=115VAC/DC,24-400VAC/25 mA-1 A,Triac
ABB	1SNA645028R0500	OBOA1000-230VUC	OBOA1000-230VUC Optocoupler R600 A1-A2=230VAC/DC,24-400VAC/25 mA-1 A,Triac
ABB	1SNA645027R2400	OBOA1000-24VDC	OBOA1000-24VDC Optocoupler R600 A1-A2=24VDC,24-400VAC/25 mA-1 A,Triac
ABB	1SNA645029R0600	OBOA2000-24VDC	OBOA2000-24VDC Optocoupler R600 A1-A2=24VDC,10-230VAC/25 mA-2 A,Triac
ABB	1SNA645054R0700	OBOC2000-115VUC	OBOC2000-115VUC Optocoupler R600 A1-A2=115VAC/DC,4.5-58VDC/1 mA-2 A,MOSFET
ABB	1SNA645026R2300	OBOC2000-230VUC	OBOC2000-230VUC Optocoupler R600 A1-A2=230VAC/DC,4.5-58VDC/1 mA-2 A,MOSFET
ABB	1SNA645051R0400	OBOC2000-24VDC	OBOC2000-24VDC Optocoupler R600 A1-A2=24VDC,4.5-58VDC/1 mA-2 A,MOSFET
ABB	1SNA645025R2200	OBOC2000-24VUC	OBOC2000-24VUC Optocoupler R600 A1-A2=24VAC/DC,4.5-58VDC/1 mA-2 A,MOSFET
ABB	1SNA645053R0600	OBOC2000-48-60VUC	OBOC2000-48-60VUC Optocoupler R600 A1-A2=48-60VAC/DC,4.5-58VDC/1 mA-2 A,MOSFET
ABB	1SNA645050R1700	OBOC2000-5-12VDC	OBOC2000-5-12VDC Optocoupler R600 A1-A2=5-12VDC,4.5-58VDC/1 mA-2 A,MOSFET
ABB	1SNA645058R1300	OBOC5000-115VUC	OBOC5000-115VUC Optocoupler R600 A1-A2=115VAC/DC,4.5-58VDC/1 mA-5 A,MOSFET
ABB	1SNA645024R2100	OBOC5000-24VDC	OBOC5000-24VDC Optocoupler R600 A1-A2=24VDC,4.5-58VDC/1 mA-5 A,MOSFET
ABB	1SNA645522R2100	OBRIC0100-115-230V	OBRIC0100-115-230VUC Optocoupler R600 A1-A2=115-230VAC/DC,4.5-58VDC/1 mA-100 mA,Transistor
ABB	1SNA645521R2000	OBRIC0100-24VDC	OBRIC0100-24VDC Optocoupler R600 A1-A2=24VDC,4.5-58VDC/1 mA-100 mA,Transistor
ABB	1SNA645549R1400	OBRIC0100-48-60VUC	OBRIC0100-48-60VUC Optocoupler R600 A1-A2=48-60VAC/DC,4.5-58VDC/1 mA-100 mA,Transistor
ABB	1SNA645547R0200	OBRIC0100-5-12VDC	OBRIC0100-5-12VDC Optocoupler R600 A1-A2=5-12VDC,4.5-58VDC/1 mA-100 mA,Transistor
ABB	1SNA645527R2600	OBROA1000-24VDC	OBROA1000-24VDC Optocoupler R600 A1-A2=24VDC,24-400VAC/25 mA-1 A,Triac

Declaración jurada de conformidad seguridad eléctrica



ABB	1SNA645529R0000	OBROA2000-24VDC	OBROA2000-24VDC Optocoupler R600 A1-A2=24VAC/DC,10-230VAC/25 mA-2 A, Triac
ABB	1SNA645526R2500	OBROC2000-230VUC	OBROC2000-230VUC Optocoupler R600 A1-A2=230VAC/DC,4.5-58VDC/ 1 mA-2 A,MOSFET
ABB	1SNA645551R0600	OBROC2000-24VDC	OBROC2000-24VDC Optocoupler R600 A1-A2=24VDC,4.5-58VDC/ 1 mA-2 A,MOSFET
ABB	1SNA645525R2400	OBROC2000-24VUC	OBROC2000-24VUC Optocoupler R600 A1-A2=24VAC/DC,4.5-58VDC/ 1 mA-2 A,MOSFET
ABB	1SNA645553R0000	OBROC2000-48-60VUC	OBROC2000-48-60VUC Optocoupler R600 A1-A2=48-60VAC/DC,4.5-58VDC/ 1 mA-2 A,MOSFET
ABB	1SNA645550R1100	OBROC2000-5-12VDC	OBROC2000-5-12VDC Optocoupler R600 A1-A2=5-12VDC,4.5-58VDC/ 1 mA-2 A,MOSFET
ABB	1SNA645524R2300	OBROC5000-24VDC	OBROC5000-24VDC Optocoupler R600 A1-A2=24VDC,4.5-58VDC/ 1 mA-5 A,MOSFET
ABB	1SNA645019R0400	RB101R-24VUC	RB101R-24VUC Interface relay R600 1n/o,A1-A2=24VAC/DC,5-250VAC/10mA-6A,with integrated output contact prot
ABB	1SNA645016R2100	RB111-115VUC	RB111-115VUC Interface relay R600 1n/o,A1-A2=115VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645017R2200	RB111-230VUC	RB111-230VUC Interface relay R600 1n/o,A1-A2=230VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645014R2700	RB111-24VUC	RB111-24VUC Interface relay R600 1n/o,A1-A2=24VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645018R0300	RB111R-24VUC	RB111R-24VUC Interface relay R600 1n/o,A1-A2=24VAC/DC,5-250VAC/10mA-6A, with integrated output contact prot
ABB	1SNA645003R0500	RB121-115VUC	RB121-115VUC Interface relay R600 1c/o,A1-A2=115VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645073R0000	RB121-12VDC	RB121-12VDC Interface relay R600 1c/o,A1-A2=12VDC,5-250VAC/10mA-6A
ABB	1SNA645004R0400	RB121-230VUC	RB121-230VUC Interface relay R600 1c/o,A1-A2=230VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645071R0000	RB121-24VDC	RB121-24VDC Interface relay R600 1c/o,A1-A2=24VDC,5-250VAC/10mA-6A
ABB	1SNA645001R0300	RB121-24VUC	RB121-24VUC Interface relay R600 1c/o,A1-A2=24VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645002R0400	RB121-48-60VUC	RB121-48-60VUC Interface relay R600 1c/o,A1-A2=48-60VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645004R0100	RB121-60-230VUC	RB121-60-230VUC Interface relay R600 1c/o,A1-A2=60-230VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645007R0100	RB121G-115VUC	RB121G-115VUC Interface relay R600 1c/o,A1-A2=115VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645075R0000	RB121G-12VDC	RB121G-12VDC Interface relay R600 1c/o,A1-A2=12VDC,5-250VAC/3mA-6A
ABB	1SNA645008R1200	RB121G-230VUC	RB121G-230VUC Interface relay R600 1c/o,A1-A2=230VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645007R2000	RB121G-24VDC	RB121G-24VDC Interface relay R600 1c/o,A1-A2=24VDC,5-250VAC/3mA-6A
ABB	1SNA645005R0700	RB121G-24VUC	RB121G-24VUC Interface relay R600 1c/o,A1-A2=24VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645006R0000	RB121G-48-60VUC	RB121G-48-60VUC Interface relay R600 1c/o,A1-A2=48-60VAC/DC,5-250VAC/10mA-6A
ABB	1SNA645035R2400	RB121P-12VDC	RB121P-12VDC Interface relay R600 1c/o,A1-A2=12VDC,5-250VAC/10mA-6A
ABB	1SNA645034R2300	RB121P-5VDC	RB121P-5VDC Interface relay R600 1c/o,A1-A2=5VDC,5-250VAC/10mA-6A
ABB	1SNA645036R2500	RB121PG-5VDC	RB121PG-5VDC Interface relay R600 1c/o,A1-A2=5VDC,5-250VAC/10mA-6A
ABB	1SNA645046R0700	RB121R-115VUC	RB121R-115VUC Interface relay R600 1c/o,A1-A2=115VAC/DC,5-250VAC/10mA-6A, with integrated leakage current prot
ABB	1SNA645011R2400	RB121R-230VUC	RB121R-230VUC Interface relay R600 1c/o,A1-A2=230VAC/DC,5-250VAC/10mA-6A, with integrated leakage current prot
ABB	1SNA645041R0200	RB122G-115VUC	RB122G-115VUC Interface relay R600 2c/o,A1-A2=115VAC/DC,5-250VAC/1mA-8 <sup>a</sup>
ABB	1SNA645013R2600	RB122G-230VUC	RB122G-230VUC Interface relay R600 2c/o,A1-A2=230VAC/DC,5-250VAC/1mA-8 <sup>a</sup>
ABB	1SNA645012R2500	RB122G-24VUC	RB122G-24VUC Interface relay R600 2c/o,A1-A2=24VAC/DC,5-250VAC/1mA-8 <sup>a</sup>
ABB	1SNA645040R1500	RB122G-48-60VUC	RB122G-48-60VUC Interface relay R600 2c/o,A1-A2=48-60VAC/DC,5-250VAC/1mA-8 <sup>a</sup>
ABB	1SNA645519R0600	RBR101R-24VUC	RBR101R-24VUC Interface relay R600 1n/o,A1-A2=24VAC/DC,5-250VAC/10mA-6A, with integrated output contact prot
ABB	1SNA645514R2100	RBR111-24VUC	RBR111-24VUC Interface relay R600 1n/o,A1-A2=24VAC/DC,5-250VAC/10mA-6 <sup>a</sup>
ABB	1SNA645518R0500	RBR111R-24VUC	RBR111R-24VUC Interface relay R600 1n/o,A1-A2=24VAC/DC,5-250VAC/10mA-6A, with integrated output contact prot
ABB	1SNA645503R0700	RBR121-115VUC	RBR121-115VUC Interface relay R600 1c/o,A1-A2=115VAC/DC,5-250VAC/10mA-6 <sup>a</sup>
ABB	1SNA645504R0000	RBR121-230VUC	RBR121-230VUC Interface relay R600 1c/o,A1-A2=230VAC/DC,5-250VAC/10mA-6 <sup>a</sup>
ABB	1SNA645571R0000	RBR121-24VDC	RBR121-24VDC Interface relay R600 1c/o,A1-A2=24VDC,5-250VAC/10mA-6 <sup>a</sup>
ABB	1SNA645501R0500	RBR121-24VUC	RBR121-24VUC Interface relay R600 1c/o,A1-A2=24VAC/DC,5-250VAC/10mA-6 <sup>a</sup>
ABB	1SNA645502R0600	RBR121-48-60VUC	RBR121-48-60VUC Interface relay R600 1c/o,A1-A2=48-60VAC/DC,5-250VAC/10mA-6 <sup>a</sup>
ABB	1SNA645520R0300	RBR121-60-230VUC	RBR121-60-230VUC Interface relay R600 1c/o,A1-A2=60-230VAC/DC,5-250VAC/10mA-6 <sup>a</sup>
ABB	1SNA645507R0300	RBR121G-115VUC	RBR121G-115VUC Interface relay R600 1c/o,A1-A2=115VAC/DC,5-250VAC/3mA-6 <sup>a</sup>
ABB	1SNA645508R1400	RBR121G-230VUC	RBR121G-230VUC Interface relay R600 1c/o,A1-A2=230VAC/DC,5-250VAC/3mA-6 <sup>a</sup>
ABB	1SNA645572R0000	RBR121G-24VDC	RBR121G-24VDC Interface relay R600 1c/o,A1-A2=24VDC,5-250VAC/3mA-6 <sup>a</sup>
ABB	1SNA645505R0100	RBR121G-24VUC	RBR121G-24VUC Interface relay R600 1c/o,A1-A2=24VAC/DC,5-250VAC/3mA-6 <sup>a</sup>
ABB	1SNA645506R0200	RBR121G-48-60VUC	RBR121G-48-60VUC Interface relay R600 1c/o,A1-A2=48-60VAC/DC,5-250VAC/3mA-6 <sup>a</sup>
ABB	1SNA645535R2600	RBR121P-12VDC	RBR121P-12VDC Interface relay R600 1c/o,A1-A2=12VDC,5-250VAC/10mA-6 <sup>a</sup>
ABB	1SNA645534R2500	RBR121P-5VDC	RBR121P-5VDC Interface relay R600 1c/o,A1-A2=5VDC,5-250VAC/10mA-6 <sup>a</sup>
ABB	1SNA645511R2600	RBR121R-230VUC	RBR121R-230VUC Interface relay R600 1c/o,A1-A2=230VAC/DC,5-250VAC/10mA-6A, with integrated leakage current pr.
ABB	1SNA645541R0400	RBR122G-115VUC	RBR122G-115VUC Interface relay R600 2c/o,A1-A2=115VAC/DC,5-250VAC/1mA-8 <sup>a</sup>
ABB	1SNA645513R2000	RBR122G-230VUC	RBR122G-230VUC Interface relay R600 2c/o,A1-A2=230VAC/DC,5-250VAC/1mA-8 <sup>a</sup>
ABB	1SNA645512R2700	RBR122G-24VUC	RBR122G-24VUC Interface relay R600 2c/o,A1-A2=24VAC/DC,5-250VAC/1mA-8 <sup>a</sup>
ABB	1SNA645540R1700	RBR122G-48-60VUC	RBR122G-48-60VUC Interface relay R600 2c/o,A1-A2=48-60VAC/DC,5-250VAC/1mA-8 <sup>a</sup>