



国家防爆

Electrical Apparatus for Explosive Atmospheres

CERTIFICATE OF CONFORMITY

Cert. No.: CNEx15.1691X

Manufacturer Cable Managements Products Limited.
 (Address: Station Road, Coleshill, Birmingham, B46 1HT, United Kingdom)

Name of Product Flameproof stopping plugs

Type of Product SP, TSP

Marking Ex d I Mb
Ex d IIC Gb

Standard —

Drawing No. A0003

The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:
 GB3836.1-2010 Explosive atmospheres Part 1: Equipment-General requirements
 GB3836.2-2010 Explosive atmospheres Part 2: Equipment protection by flameproof enclosures "d"

Note See Annex(1 page).

Valid Date From Jun 15, 2015 to Jun 14, 2020

Issue Date Jun 15, 2015

Director



CHINA NATIONAL QUALITY SUPERVISION AND TEST CENTRE FOR EXPLOSION PROTECTED ELECTRICAL PRODUCTS

Address: No.20 North Zhongjing Rd, Nanyang, Henan(473008), P.R.China

Tel: 0377-63258564 Fax: 0377-63208175 [Http://www.china-ex.com](http://www.china-ex.com)



Note: This certificate is only valid for the products which identify with the sample(s) tested and verified. Holder(s) of this certificate have the responsibility to ensure the products complying with relevant standard(s).

登陆网站 输入数码 查询真伪 8663 1490 2747 6897 查询方式: www.china-ex.com



国家防爆

Electrical Apparatus for Explosive Atmospheres

CERTIFICATE OF CONFORMITY

Cert. No.: CNEx15.1691X

Annex

Page 1 of 1

1. This product have obtained IECEx certificate, Cert. No.: IECEx BAS 08.0109.
2. The Type SP and TSP Threaded Stopping Plugs each comprise a solid plug of brass, steel, or stainless steel with an external thread form as indicated below. The SP range has a hexagon socket set into the face adjacent to the thread run out or the larger face in the case of the tapered threaded versions. The TSP range has the hexagon socket on the other end of the plug.

Thread Forms:

Metric	Pg	NPT	Hex Socket Size
16	11	3/8"	8
20	13.5	1/2"	10
25	16	3/4"	10
32	21	1"	10
40	29	1 1/4"	10
50	36	1 1/2"	10
63	42	2"	10

3. The plugs are suitable for service conditions of -20°C to +200°C.

Issue Date Jun 15, 2015

Director



CHINA NATIONAL QUALITY SUPERVISION AND TEST CENTRE
FOR EXPLOSION PROTECTED ELECTRICAL PRODUCTS

Address: No.20 North Zhongjing Rd, Nanyang, Henan(473008), P.R.China
Tel: 0377-63258564 Fax: 0377-63208175 [Http://www.china-ex.com](http://www.china-ex.com)

