

# Certificate




for European Product Safety

Reference No. 1613211

## Socket-outlet for industrial purposes

Type designation	*16R**, *16RAU**, *16RAU**W, *16RL**, *16RL**W, *16RS**, *16RS**W, *16RU**, *32RL**, *32RL**W, *32RAU**, *32RAU**W, *32RS**, *32RS**W, *32RU**
Certificate holder	<b>ABB AB Cewe Arnöleden 2 611 31 Nyköping SWEDEN</b>
The product complies with the standard(s)	EN 60309-1:1999 + A1 + A2 EN 60309-2:1999 + A1 + A2
Date of expiry	31 July 2020
EU Directive information	According to the principle of presumption of conformity, this certificate constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

Additional information in Appendix.

Certification Body	Intertek Semko AB, Product Certification	Place	Kista - Stockholm
Signed	 Bo Berglöf	Date	30 June 2016 Page 1 of 18

This certificate is issued in accordance with the terms and conditions set out in the Appendix.

AB



**Intertek  
Appendix**

Reference No. 1613211

*Technical data*

<i>Type designation</i>	*16R** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table 104 (see below)
<i>Rated current (A)</i>	16
<i>IP-Class</i>	44
<i>Standard sheet</i>	60309-2/2-I
<i>Trade mark</i>	<b>ABB</b>
<i>Product information</i>	2P+E, Panel-type with screw terminals.
<i>Position of earthing contact</i>	1h, 4h, 6h, 9h and 12h
<i>Type designation</i>	*16R** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table 104 (see below)
<i>Rated current (A)</i>	16
<i>IP-Class</i>	44
<i>Standard sheet</i>	60309-2/2-I
<i>Trade mark</i>	<b>ABB</b>
<i>Product information</i>	3P+E, Panel-type with screw terminals.
<i>Position of earthing contact</i>	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
<i>Type designation</i>	*16R** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table 104 (see below)
<i>Rated current (A)</i>	16
<i>IP-Class</i>	44
<i>Standard sheet</i>	60309-2/2-I
<i>Trade mark</i>	<b>ABB</b>
<i>Product information</i>	3P+N+E, Panel-type with screw terminals.
<i>Position of earthing contact</i>	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*DB*



**Intertek**  
**Appendix**

*Reference No. 1613211*

<i>Type designation</i>	*16RAU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table 104 (see below)
<i>Rated current (A)</i>	16
<i>IP-Class</i>	44
<i>Standard sheet</i>	60309-2/2-I
<i>Trade mark</i>	<b>ABB</b>
<i>Product information</i>	2P+E, Panel-type with screw terminals.
<i>Position of earthing contact</i>	1h, 4h, 6h, 9h and 12h
<i>Type designation</i>	*16RAU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table 104 (see below)
<i>Rated current (A)</i>	16
<i>IP-Class</i>	44
<i>Standard sheet</i>	60309-2/2-I
<i>Trade mark</i>	<b>ABB</b>
<i>Product information</i>	3P+E, Panel-type with screw terminals.
<i>Position of earthing contact</i>	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
<i>Type designation</i>	*16RAU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table 104 (see below)
<i>Rated current (A)</i>	16
<i>IP-Class</i>	44
<i>Standard sheet</i>	60309-2/2-I
<i>Trade mark</i>	<b>ABB</b>
<i>Product information</i>	3P+N+E, Panel-type with screw terminals.
<i>Position of earthing contact</i>	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*MB*





**Intertek**  
**Appendix**

Reference No. 1613211

Type designation	*16RAU**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*16RAU**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*16RAU**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*715*



**Intertek**  
**Appendix**

Reference No. 1613211

Type designation	*16RL** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*16RL** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*16RL** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*113*



**Intertek  
Appendix**

Reference No. 1613211

Type designation	*16RL**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*16RL**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*16RL**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*DB*





**Intertek**  
**Appendix**

Reference No. 1613211

Type designation	*16RS** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*16RS** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*16RS** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*Handwritten initials*



## Intertek Appendix

Reference No. 1613211

Type designation	*16RS**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*16RS**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*16RS**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*







**Intertek**  
**Appendix**

Reference No. 1613211

Type designation	*16RU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*16RU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*16RU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	16
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*T15*



**Intertek  
Appendix**

Reference No. 1613211

Type designation	*32RL** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*32RL** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*32RL** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*MB*



**Intertek  
Appendix**

Reference No. 1613211

Type designation	*32RL**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*32RL**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*32RL**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*T15*





**Intertek  
Appendix**

Reference No. 1613211

Type designation	*32RAU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*32RAU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*32RAU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



**Intertek  
Appendix**

Reference No. 1613211

Type designation	*32RAU**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*32RAU**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*32RAU**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	67
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



**Intertek  
Appendix**

Reference No. 1613211

Type designation	*32RS** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*32RS** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*32RS** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Surface-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*







**Intertek  
Appendix**

*Reference No. 1613211*

<i>Type designation</i>	*32RS**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table 104 (see below)
<i>Rated current (A)</i>	32
<i>IP-Class</i>	67
<i>Standard sheet</i>	60309-2/2-I
<i>Trade mark</i>	<b>ABB</b>
<i>Product information</i>	2P+E, Surface-type with screw terminals.
<i>Position of earthing contact</i>	1h, 4h, 6h, 9h and 12h
<i>Type designation</i>	*32RS**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table 104 (see below)
<i>Rated current (A)</i>	32
<i>IP-Class</i>	67
<i>Standard sheet</i>	60309-2/2-I
<i>Trade mark</i>	<b>ABB</b>
<i>Product information</i>	3P+E, Surface-type with screw terminals.
<i>Position of earthing contact</i>	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
<i>Type designation</i>	*32RS**W (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table 104 (see below)
<i>Rated current (A)</i>	32
<i>IP-Class</i>	67
<i>Standard sheet</i>	60309-2/2-I
<i>Trade mark</i>	<b>ABB</b>
<i>Product information</i>	3P+N+E, Panel-type with screw terminals.
<i>Position of earthing contact</i>	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*DB*



**Intertek  
Appendix**

Reference No. 1613211

Type designation	*32RU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	2P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*32RU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h, 10h and 11h
Type designation	*32RU** (The first * denotes the number of contacts and the second * denotes the position of earthing contact)
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table 104 (see below)
Rated current (A)	32
IP-Class	44
Standard sheet	60309-2/2-I
Trade mark	<b>ABB</b>
Product information	3P+N+E, Panel-type with screw terminals.
Position of earthing contact	1h, 2h, 3h, 4h, 5h, 6h, 7h, 9h and 11h

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

*DB*



# Intertek Appendix

Reference No. 1613211

**Table 104**

Number of contacts	Type	Frequency Hz	Rated operating voltage V	Accessories earthing-contact position <sup>a</sup>	
				16/20 A 32/30 A	63/60 A 125/100 A
3 contacts	1P+N+ $\perp$ Series II	50 and 60	100 to 130	4	4
		60	277	5	5
	2P+N+ $\perp$ Series I and II	50 and 60	100 to 130	4	4
			200 to 250	6	6
		50 and 60	380 to 415	9	9
			480 to 500	7	7
			Supply from an isolating transformer	12	12
		100 up to and including 300	Over 50	10	10
	Over 300 up to and including 500	Over 50	2	2	
	Direct current	Over 50 up to and including 250 <sup>d</sup>	3	3	
Over 250		8	8		
4 contacts	2P+N+ $\perp$ Series II	50 and 60	125/250 single-phase	12	12
	Series I	50 and 60	Supply from an isolating transformer	12	12
	3P+ $\perp$ Series I and II	50 and 60	100 to 130	4	4
			200 to 250	9	9
			380 to 415	6	6
		60	440 to 460 <sup>b</sup>	11	11
		50 and 60	480 to 500	7	7
			600 to 690	5	5
		50 60	380 440 <sup>c</sup>	3	3
		50 and 60	1000	-	8
	100 up to and including 300	Over 50	10	10	
	Over 300 up to and including 500	Over 50	2	2	
	5 contacts	3P+N+ $\perp$ Series I and II	50 and 60	57/100 to 75/130	4
120/208 to 144/250				9	9
200/346 to 240/415				6	6
277/480 to 288/500				7	7
347/600 to 400/690				5	5
60			250/440 to 265/460 <sup>b</sup>	11	11
50 60			220/380 250/440 <sup>c</sup>	3	3

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

T1B



**Intertek  
Appendix***Reference No. 1613211*

*Manufacturing site(s)*      ABB s.r.o. Elektro-Praga  
Resslova 3  
CZ- 466 02 Jablonec nad Nisou  
CZECH REPUBLIC

According to the principle of presumption of conformity, this certificate, which includes production control, constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

This presumption can expire before end of validity of this certificate due to new issued Standard or Amendment and changes within the EU legislation.

*Certification Body*      Intertek Semko AB, Product Certification      *Place*      Kista - Stockholm

*Signed*

  
Bo Berglöf

*Date*      30 June 2016

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*