

## PRODUCT-DETAILS

# ACQ531-01-09A5-4+J400

## ACQ531-01-09A5-4+J400 PN: 4kW, IN: 9.4A



### General Information

Global Commercial Alias	ACQ531-01-09A5-4+J400
Product ID	3AXD50000751761
ABB Type Designation	ACQ531-01-09A5-4+J400
Catalog Description	ACQ531-01-09A5-4+J400 PN: 4kW, IN: 9.4A

Long Description	The ACQ531-01 drives deliver innovative pump features for the water and wastewater industry, securing energy efficient flow of water and wastewater in your pumping solutions.
	This robust and compact wall-mounted drive has built-in simple pump application functionality. Usability is further enhanced with the optional intuitive Hand-Off-Auto control panel, the PC tool Drive composer and an optional Bluetooth® control panel. The built-in energy calculator visualizes the energy savings achieved with the use of the drive. The ACQ531-01 variant comes in an IP20 enclosure as standard and can be installed on the wall.

### Ordering

Country of Origin	China (CN)
Customs Tariff Number	85044099
Invoice Description	ACQ531-01-09A5-4+J400 PN: 4kW, IN: 9.4A
Made To Order	No
Minimum Order Quantity	1 piece

Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

Dimensions

Product Net Weight	4 kg
Product Net Depth / Length	223 mm
Product Net Height	331 mm
Product Net Width	125 mm
Package Level 1 Depth / Length	525 mm
Package Level 1 Height	425 mm
Package Level 1 Width	225 mm
Package Level 1 Units	1 carton

Technical

Number of Phases	3
Degree of Protection	IP20
Enclosure Type NEMA	Open Type
Frequency (f)	47.5 ... 63 Hz
Frame Size	R1
Input Voltage ( $U_{in}$ )	380 ... 480 V
Mounting Type	Module_NO UNIT\$
Output Current, Light-Overload Use ( $I_{LD}$ )	8.9 A
Output Current, Normal Use ( $I_n$ )	9.4 A
Output Power, Light-Overload Use ( $P_{LD}$ )	4 kW
Output Power, Normal Use ( $P_n$ )	4 kW
Efficiency Level	IE2
Complete Drive Module Efficiency (61800-9-2)	

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	61 W	0.9 %	85 %
0 / 50 %	73 W	1.1 %	90.2 %
0 / 100 %	104 W	1.6 %	92.3 %
50 / 25 %	64 W	1 %	91.8 %
50 / 50 %	79 W	1.2 %	94.6 %
50 / 100 %	116 W	1.8 %	95.7 %
90 / 50 %	86 W	1.3 %	96.7 %
90 / 100 %	135 W	2.1 %	97.2 %

Additional Information

Product Name	Frequency Converter
--------------	---------------------

Classifications

UNSPSC	39122001
--------	----------

Environmental

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
---------------	--

Categories

Drives → Low Voltage AC Drives → Industry-Specific Drives → Drives for water → ACQ531-01 - Wall-mounted drive for water and wastewater

