



PRODUCT-DETAILS

# 3GAA102550-APK

## IE3 Premium Efficiency Aluminum Motors, 2.2 kW, 230 V (3GAA102550-APK)



General Information	
Product ID	3GAA102550-APK
ABB Type Designation	M3AA 100LE 4
Catalog Description	IE3 Premium Efficiency Aluminum Motors, 2.2 kW, 230 V (3GAA102550-APK)

Ordering	
ABB Type Designation	M3AA 100LE 4
Invoice Description	M3AA 100LE 4
Product Name	3-Phase squirrel cage motor
Product Type	3AA3__M3AA_IE3_AA
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	Finland (FI)
Customs Tariff Number	85015220
Medium Description	2.2kW, 4 Poles, Frame Size 100, 3 Phases, 230V, 60Hz, IP55 Enclosure, IMB3/IM1001 Mounting (3GAA102550-APK)
Short Description	2.2kW, 4P, Frame Size 100, 3PH, 230V, 60Hz, IP55, IMB3/IM1001

Electrical										
Electrical Data										
Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
D	--	50 Hz	200 V	2.20 kW	1454 r/min	8.60 A	0.830	89.10 %	14.50 N·m	8.90
D	--	60 Hz	230 V	2.20 kW	1760 r/min	7.60 A	0.810	89.50 %	11.90 N·m	10.20
Connection Configuration										D
Temperature Class Default										--
Input Voltage (U <sub>in</sub> )										230 V
Frequency (f)										60 Hz
Output Power										2.2 kW
Altitude										1000 m
Ambient Temperature										40 °C
IC Class										IC411
IE Class Data (50 Hz)										IE Class IE3 Full Load (100%) 89.1 % Partial Load (75%) 89.5 % Partial Load (50%) 88.6 %
IE Class Data (60 Hz)										IE Class IE3 Full Load (100%) 89.5 % Partial Load (75%) 89.2 % Partial Load (50%) 87.4 %
IP Class										IP55
Insulation Class										ICLF
Direction of Rotation										Both sides
Number of Poles (High)										4
Two Speed Motor										No
Type of Duty										S1
Voltage Code										P
Mechanical										
Frame Material										Aluminum
Frame Size										100
Bearing										6306-2Z/C3
Bearing NDE										6205-2Z/C3
IM Class										IMB3 IM1001
Terminator Box Location										D-End top
Dimensions										
Package Level 1 Units										0 carton
Product Net Depth / Length										432 mm
Product Net Height										237 mm
Product Net Width										200 mm
Product Net Weight										36 kg
Gross Weight										41 kg

Environmental	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
SCIP	27ac6190-e1ce-4080-8654-6552aaabbe58 Finland (FI)

Classifications	
UNSPSC	26101100

Categories	
Motors and Generators → IEC Low Voltage AC Motors → Process Performance Motors → IE3 Premium Efficiency Aluminum Motors	

