


PRODUCT-DETAILS

3GAA131250-BEK

IE3 Premium Efficiency Aluminum Motors, 11 kW, 500 V (3GAA131250-BEK)



General Information	
Product ID	3GAA131250-BEK
ABB Type Designation	M3AA 132SME 2
Catalog Description	IE3 Premium Efficiency Aluminum Motors, 11 kW, 500 V (3GAA131250-BEK)
Ordering	
ABB Type Designation	M3AA 132SME 2
Product Name	3-Phase squirrel cage motor
Product Type	3AA3 _M3AA_IE3_AA
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	Finland (FI)
Customs Tariff Number	85015230
Medium Description	11kW, 2 Poles, Frame Size 132, 3 Phases, 500V, 50Hz, IP55 Enclosure, IMB5/IM3001 Mounting (3GAA131250-BEK)
Short Description	11kW, 2P, Frame Size 132, 3PH, 500V, 50Hz, IP55, IMB5/IM3001

Electrical

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
D	--	50 Hz	500 V	11.00 kW	2934 r/min	15.30 A	0.900	91.20 %	36.00 N·m	10.70
D	--	60 Hz	575 V	11.00 kW	3514 r/min	18.00 A	0.900	92.70 %	40.80 N·m	12.00
Connection Configuration										D
Temperature Class Default										--
Input Voltage (U _{in})										500 V
Frequency (f)										50 Hz
Output Power										11 kW
Altitude										1000 m
Ambient Temperature										40 °C
IC Class										IC411
IE Class Data (50 Hz)										IE Class IE3 Full Load (100%) 91.2 % Partial Load (75%) 91.4 % Partial Load (50%) 90.5 %
IE Class Data (60 Hz)										IE Class IE4 Full Load (100%) 92.7 % Partial Load (75%) 92.8 % Partial Load (50%) 91.8 %
IP Class										IP55
Insulation Class										ICLF
Direction of Rotation										Both sides
Number of Poles (High)										2
Two Speed Motor										No
Type of Duty										S1
Voltage Code										E

Mechanical

Frame Material	Aluminum
Frame Size	132
Bearing	6308-2Z/C3
Bearing NDE	6206-2Z/C3
IM Class	IMB5 IM3001
Terminator Box Location	D-End top

Dimensions

Package Level 1 Units	0 carton
Product Net Depth / Length	550 mm
Product Net Height	321 mm
Product Net Width	262 mm
Product Net Weight	90 kg
Gross Weight	95 kg

Classifications

UNSPSC

26101100

Categories

Motors and Generators → IEC Low Voltage AC Motors → Process Performance Motors → IE3 Premium Efficiency Aluminum Motors

