

PRODUCT-DETAILS

3GAA181410-BDG
(3GAA181410-BDG)



General Information

Product ID	3GAA181410-BDG
ABB Type Designation	M3AA 180MLA 2
Catalog Description	(3GAA181410-BDG)

Ordering

ABB Type Designation	M3AA 180MLA 2
Invoice Description	M3AA 180MLA 2
Product Name	3-Phase squirrel cage motor
Product Type	3AA2_M3AA_IE2_AA
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	Finland (FI) China (CN) Poland (PL)
Customs Tariff Number	85015230
Replaced Product ID (OLD)	3GAA181031-BDG
Stocked At (Warehouses)	Menden, Germany

Electrical

Electrical Data										
Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	690 V	22.00 kW	2952 r/min	22.90 A	0.870	92.20 %	71.10 N·m	7.70
D	--	50 Hz	400 V	22.00 kW	2952 r/min	39.50 A	0.870	92.20 %	71.10 N·m	7.70
D	--	50 Hz	415 V	22.00 kW	2956 r/min	39.00 A	0.850	92.20 %	71.10 N·m	8.10
D	--	60 Hz	440 V	22.00 kW	3554 r/min	35.50 A	0.880	92.20 %	59.10 N·m	8.10
D	--	60 Hz	460 V	22.00 kW	3559 r/min	34.30 A	0.870	92.40 %	59.00 N·m	8.80
Temperature Class Default										--
Altitude										1000 m
Ambient Temperature										40 °C
IC Class										IC411
IE Class Data (50 Hz)										IE Class IE2 Full Load (100%) 92.2 % Partial Load (75%) 92.6 % Partial Load (50%) 91.9 %
IE Class Data (60 Hz)										IE Class IE3 Full Load (100%) 92.2 % Partial Load (75%) 92.4 % Partial Load (50%) 91.4 %
IP Class										IP55
Insulation Class										ICLF
Direction of Rotation										Both sides
Number of Poles (High)										2
Two Speed Motor										No
Type of Duty										S1
Voltage Code										D

Mechanical

Frame Material	Aluminum
Frame Size	180
Bearing	6310-2Z/C3
Bearing NDE	6209-2Z/C3
IM Class	IMB5 IM3001
Terminator Box Location	D-End top

Dimensions

Package Level 1 Units	0 pallet (lift)
Product Net Weight	132 kg
Gross Weight	142 kg

Environmental

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
SCIP	27ac6190-e1ce-4080-8654-6552aaabbe58 Finland (FI)

Classifications

UNSPSC	26101100
--------	----------

Categories

Motors and Generators → IEC Low Voltage AC Motors → Process Performance Motors → IE2 High Efficiency Aluminum Motors

