




PRODUCT-DETAILS

3GBA131120-BDT
M2BAX 132SB 2



General Information

Product ID	3GBA131120-BDT
ABB Type Designation	M2BAX 132SB 2
Catalog Description	M2BAX 132SB 2

Ordering

ABB Type Designation	M2BAX 132SB 2
Invoice Description	M2BAX 132SB 2
Product Name	3-Phase squirrel cage motor
Product Type	EBA1__M2BAX_CI
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	China (CN)
Customs Tariff Number	85015220

Electrical

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	690 V	7.50 kW	2916 r/min	8.43 A	0.840	86.00 %	24.57 N·m	8.70
D	--	50 Hz	400 V	7.50 kW	2916 r/min	14.50 A	0.840	86.00 %	24.57 N·m	8.70
Y	--	50 Hz	660 V	7.50 kW	2905 r/min	8.59 A	0.870	86.00 %	24.60 N·m	8.10
D	--	50 Hz	380 V	7.50 kW	2905 r/min	14.90 A	0.870	86.00 %	24.60 N·m	8.10
D	--	60 Hz	440 V	7.50 kW	3516 r/min	13.20 A	0.860	87.50 %	20.30 N·m	9.20
D	--	60 Hz	460 V	7.50 kW	3523 r/min	12.90 A	0.830	87.50 %	20.26 N·m	9.80
Temperature Class Default										--
Altitude										1000 m
Ambient Temperature										40 °C
IC Class										IC411
IE Class Data (50 Hz)										IE Class IE1 Full Load (100%) 86.0 % Partial Load (75%) 85.3 % Partial Load (50%) 83.3 %
IE Class Data (60 Hz)										IE Class IE1 Full Load (100%) 87.5 % Partial Load (75%) 85.8 % Partial Load (50%) 83.0 %
IP Class										IP55
Insulation Class										ICLF
Direction of Rotation										Both sides
Number of Poles (High)										2
Two Speed Motor										No
Type of Duty										S1
Voltage Code										D
Mechanical										
Frame Material										Cast Iron
Frame Size										132
Bearing										6208-2Z/C3
Bearing NDE										6208-2Z/C3
IM Class										IMB5 IM3001
Terminator Box Location										D-End top
Dimensions										
Package Level 1 Units										0 carton
Product Net Weight										60 kg
Gross Weight										65 kg
Environmental										
WEEE Category										5. Small Equipment (No External Dimension More Than 50 cm)
Classifications										
UNSPSC										26101100

Categories

Motors and Generators → IEC Low Voltage AC Motors → General Performance Motors → IE1 Standard Efficiency Cast Iron Motors

