


PRODUCT-DETAILS

3GBA132310-BST
M2BAX 132MA 4



General Information

Product ID	3GBA132310-BST
ABB Type Designation	M2BAX 132MA 4
Catalog Description	M2BAX 132MA 4

Ordering

ABB Type Designation	M2BAX 132MA 4
Invoice Description	M2BAX 132MA 4
Product Name	3-Phase squirrel cage motor
Product Type	EBA1__M2BAX_CI
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	China (CN)
Customs Tariff Number	85015220

Electrical

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	400 V	7.50 kW	1458 r/min	16.20 A	0.760	86.00 %	48.86 N·m	7.30
D	--	50 Hz	230 V	7.50 kW	1458 r/min	28.10 A	0.760	86.00 %	48.86 N·m	7.30
Y	--	50 Hz	380 V	7.50 kW	1454 r/min	16.20 A	0.800	86.00 %	49.03 N·m	6.90
D	--	50 Hz	220 V	7.50 kW	1454 r/min	28.00 A	0.800	86.00 %	49.03 N·m	6.90
Y	--	60 Hz	440 V	7.50 kW	1759 r/min	14.40 A	0.760	87.50 %	40.50 N·m	7.90
Y	--	60 Hz	460 V	7.50 kW	1763 r/min	14.30 A	0.740	87.50 %	40.43 N·m	8.40
Temperature Class Default										--
Altitude										1000 m
Ambient Temperature										40 °C
IC Class										IC411
IE Class Data (50 Hz)										IE Class IE1 Full Load (100%) 86.0 % Partial Load (75%) 85.7 % Partial Load (50%) 84.4 %
IE Class Data (60 Hz)										IE Class IE1 Full Load (100%) 87.5 % Partial Load (75%) 86.4 % Partial Load (50%) 84.3 %
IP Class										IP55
Insulation Class										ICLF
Direction of Rotation										Both sides
Number of Poles (High)										4
Two Speed Motor										No
Type of Duty										S1
Voltage Code										S
Mechanical										
Frame Material										Cast Iron
Frame Size										132
Bearing										6208-2Z/C3
Bearing NDE										6208-2Z/C3
IM Class										IMB5 IM3001
Terminator Box Location										D-End top
Dimensions										
Package Level 1 Units										0 carton
Product Net Weight										70 kg
Gross Weight										75 kg
Environmental										
WEEE Category										5. Small Equipment (No External Dimension More Than 50 cm)
Classifications										
UNSPSC										26101100

Categories

Motors and Generators → IEC Low Voltage AC Motors → General Performance Motors → IE1 Standard Efficiency Cast Iron Motors

