



PRODUCT-DETAILS

3GBA161420-BST
M2BAX 160MLB 2



General Information

Product ID	3GBA161420-BST
ABB Type Designation	M2BAX 160MLB 2
Catalog Description	M2BAX 160MLB 2

Ordering

ABB Type Designation	M2BAX 160MLB 2
Invoice Description	M2BAX 160MLB 2
Product Name	3-Phase squirrel cage motor
Product Type	EBA1__M2BAX_CI
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	China (CN)
Customs Tariff Number	85015230

Electrical

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	400 V	15.00 kW	2932 r/min	26.70 A	0.890	88.70 %	48.86 N·m	7.20
D	--	50 Hz	230 V	15.00 kW	2932 r/min	46.40 A	0.890	88.70 %	48.86 N·m	7.20
Y	--	50 Hz	380 V	15.00 kW	2922 r/min	27.30 A	0.930	88.70 %	49.01 N·m	6.70
D	--	50 Hz	220 V	15.00 kW	2922 r/min	47.10 A	0.930	88.70 %	49.01 N·m	6.70
Y	--	60 Hz	440 V	15.00 kW	3535 r/min	23.40 A	0.930	88.50 %	40.51 N·m	8.00
Y	--	60 Hz	460 V	15.00 kW	3541 r/min	22.60 A	0.910	88.50 %	40.44 N·m	8.60
Temperature Class Default										--
Altitude										1000 m
Ambient Temperature										40 °C
IC Class										IC411
IE Class Data (50 Hz)										IE Class IE1 Full Load (100%) 88.7 % Partial Load (75%) 89.0 % Partial Load (50%) 88.8 %
IE Class Data (60 Hz)										IE Class IE1 Full Load (100%) 88.5 % Partial Load (75%) 88.1 % Partial Load (50%) 86.5 %
IP Class										IP55
Insulation Class										ICLF
Direction of Rotation										Both sides
Number of Poles (High)										2
Two Speed Motor										No
Type of Duty										S1
Voltage Code										S
Mechanical										
Frame Material										Cast Iron
Frame Size										160
Bearing										6209-2Z/C3
Bearing NDE										6209-2Z/C3
IM Class										IMB5 IM3001
Terminator Box Location										D-End top
Dimensions										
Package Level 1 Units										0 pallet (lift)
Product Net Weight										116 kg
Gross Weight										126 kg
Environmental										
WEEE Category										4. Large Equipment (Any External Dimension More Than 50 cm)
Classifications										
UNSPSC										26101100

Categories

Motors and Generators → IEC Low Voltage AC Motors → General Performance Motors → IE1 Standard Efficiency Cast Iron Motors

