



PRODUCT-DETAILS

3GBA161430-ADFCN
(3GBA161430-ADFCN)



General Information

Product ID	3GBA161430-ADFCN
ABB Type Designation	M2BAX 160MLC 2
Catalog Description	(3GBA161430-ADFCN)

Ordering

ABB Type Designation	M2BAX 160MLC 2
Invoice Description	M2BAX 160MLC 2
Product Name	3-Phase squirrel cage motor
Product Type	CBA3_M2BAX_CI
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	China (CN)
Customs Tariff Number	85015230

Electrical

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	690 V	18.50 kW	2942 r/min	19.50 A	0.860	92.40 %	60.12 N·m	8.60
D	--	50 Hz	400 V	18.50 kW	2942 r/min	33.60 A	0.860	92.40 %	60.11 N·m	8.60
Y	--	50 Hz	660 V	18.50 kW	2934 r/min	19.70 A	0.890	92.40 %	60.24 N·m	8.10
D	--	50 Hz	380 V	18.50 kW	2934 r/min	34.20 A	0.890	92.40 %	60.33 N·m	8.10
D	--	60 Hz	440 V	18.50 kW	3543 r/min	30.10 A	0.880	91.70 %	49.89 N·m	9.60
D	--	60 Hz	460 V	18.50 kW	3550 r/min	29.10 A	0.870	91.70 %	49.82 N·m	10.20
Temperature Class Default										--
Altitude										1000 m
Ambient Temperature										40 °C
IC Class										IC411
IE Class Data (50 Hz)										IE Class IE3 Full Load (100%) 92.4 % Partial Load (75%) 92.7 % Partial Load (50%) 92.2 %
IE Class Data (60 Hz)										IE Class IE3 Full Load (100%) 91.7 % Partial Load (75%) 91.8 % Partial Load (50%) 90.7 %
IP Class										IP55
Insulation Class										ICLF
Direction of Rotation										Both sides
Number of Poles (High)										2
Two Speed Motor										No
Type of Duty										S1
Voltage Code										D
Mechanical										
Frame Material										Cast Iron
Frame Size										160
Bearing										6309-2Z/C3
Bearing NDE										6209-2Z/C3
IM Class										IMB3 IM1001
Terminator Box Location										D-End top
Dimensions										
Package Level 1 Units										0 pallet (lift)
Product Net Weight										145 kg
Gross Weight										155 kg
Environmental										
WEEE Category										4. Large Equipment (Any External Dimension More Than 50 cm)
Classifications										
UNSPSC										26101100

Categories

Motors and Generators → IEC Low Voltage AC Motors → General Performance Motors → IE3 Premium Efficiency Cast Iron Motors

